



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/721,727	11/25/2003	Gary P. Raden	MS306094.01	5767
27195	7590	07/24/2008		
AMIN, TUROCY & CALVIN, LLP				
24TH FLOOR, NATIONAL CITY CENTER				
1900 EAST NINTH STREET				
CLEVELAND, OH 44114				
EXAMINER				
JEAN GILLES, JUDE				
ART UNIT		PAPER NUMBER		
2143				
NOTIFICATION DATE		DELIVERY MODE		
07/24/2008		ELECTRONIC		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

docket1@thepatentattorneys.com
hholmes@thepatentattorneys.com
lpasterchek@thepatentattorneys.com

Office Action Summary

Application No.

10/721,727

Applicant(s)

RADEN ET AL.

Examiner

JUDE J. JEAN GILLES

Art Unit

2143

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 April 2008.
2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-41 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.
5) ☐ Claim(s) _____ is/are allowed.
6) ☒ Claim(s) 1-41 is/are rejected.
7) ☐ Claim(s) _____ is/are objected to.
8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
10) ☒ The drawing(s) filed on 25 November 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
2) ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
3) ☒ Information Disclosure Statement(s) (PTO-8508)
Paper No(s)/Mail Date on 05/09/2008.
4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date: _____.
5) ☐ Notice of Informal Patent Application.
6) ☐ Other: _____

DETAILED ACTION

This Office Action is in Reply to communication filed on 04/24/2008.

Information Disclosure Statement

1. The information disclosure statement (IDS) submitted on 05/09/2008 is submission is in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statement has been considered by the examiner.

Response to Amendment

2. Claim 37 has been amended. No new claim has been added. Claims 1-41 are pending. Applicant's arguments with respect to claims 1-41 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Naik et al (Naik) US. Pub. No. 20060294238, in view of Beck et al (Beck) US Pub. No. 20050114494 A1.

Regarding claim 1, Naik discloses a system that facilitates networked system management (figs. 1 and 2), comprising:

a component that obtains aggregated system state data for at least one system component (par. 0035); an analysis component that processes at least a portion of the aggregated system state data to determine at least one characteristic of at least one system state (0010, 0035, and 0056); and

a user interface that provides state related information based upon the state characteristic to a user; the user interface receives at least one user control parameter that facilitates improved utilization of the networked system(0010, 0035, and 0056).

However, Naik appears not to disclose the details of " the at least one characteristic employed to automatically limit a user's utilization of at least one aspect of the networked system

In an analogous art, Beck teaches a system that *"The system 410 uses the desired states expressed in the manifest component 408 to also perform task scheduling for automatic task management; role-based access to restrict access to program functions; monitoring to detect problems, diagnose root causes, take corrective actions, and notify the system administrator when intervention is necessary; and, central configuration to customize policy for the above and apply to many machines."*

(see Beck par. 0136). In an attempt to improve system's performance, facilitating task scheduling by using an automatic task management approach can be employed to automatically limit a user's utilization of network resources.

Given this feature, it would have been obvious for an ordinary skill in the art to have incorporated the technique offered by Beck within the system of Naik for the purpose of allowing "the monitoring rules engine handles the automatic scheduling of rules thereby removing this burden from the user and allowing the user to concentrate on performing other tasks" as expressed by Beck in par. 0009. By this rationale, claim 1 is rejected.

Regarding claims 2-41 the combination Naik-Beck discloses:

2. (Previously Presented) The system of claim 1, the state related information comprising a current state status relating to at least one of system usage states, system performance states, or system health states (see Naik; 0056, 0100, and 0103).

3. (Original) The system of claim 2, the current state status relating to an individual end-user of the networked system (see Naik; par. 0011).

4.(Original) The system of claim 2, the current state status indicating top "X" asset utilization of a particular networked system asset, where X represents a desired number of top asset users (see Naik; 0056 and 0059).

6.(Previously Presented) The system of claim 4, the particular networked system asset comprising at least one of memory usage, CPU utilization, hard disk space usage, random access memory (RAM) usage, or network communication bandwidth usage (see Naik; 0056).

7.(Original) The system of claim 4, the top asset users comprising running processes (see Beck; 0176).

8.(Original) The system of claim 4, the top asset users comprising end-users of the networked system (Naik; 0064).

9.(Original) The system of claim 8, the particular networked system asset comprising Internet usage (Beck; 0176).

10. (Original) The system of claim 1, the state related information comprising, at least in part, administrative guidance information corresponding to the networked system (see Naik; 0056, 0100, and 0103).

11. (Previously Presented) The system of claim 1, the state related information comprising an historical state status relating to at least one of system usage states, system performance states, or system health states (see Naik; 0056, 0100, and 0103).

16. (Original) The system of claim 1, the user interface comprising an interactive user interface (Beck; 0154-0155).

17. (Original) The system of claim 16, the interactive user interface comprising a prior state reversion control user interface (Beck; 0154-0155).

Art Unit: 2143

18. (Original) The system of claim 16, the interactive user interface comprising a control user interface that controls a utilization aspect of the networked system (Beck; 0154-0155).

19. (Original) The system of claim 18, the control user interface comprising a system prioritization user interface that prioritizes usage of the utilization aspect of the networked system (see Naik; 0056, 0100, and 0103).

20. (Previously Presented) The system of claim 18, the utilization aspect of the networked system comprising at least one of Internet bandwidth usage, CPU usage, hard disk space usage, e-mail usage, fax usage, or printing usage (see Naik; 0056, 0100, and 0103).

21. (Previously Presented) A method for facilitating management of a networked system, comprising:

acquiring aggregated system state data for at least one system component; analyzing at least a portion of the aggregated system state data to determine at least one characteristic of at least one system state (Naik; 0010, 0035, and 0056), the at least one characteristic employed to automatically limit a user's utilization of at least one aspect of the networked system (see Beck par. 0136);

providing state related information based upon the state characteristic to a user; and enabling a user to manipulate assets of the networked system to facilitate improved utilization of the networked system (Naik; 0010, 0035, and 0056). The same motivation and reason to combine used for the rejection of claim 1 are also valid for this claim.

22.(Original) The method of claim 21, further comprising:

employing the state related information to optimally manage productivity of end-users of the networked system (Naik; 0010, 0035, and 0056).

23.(Original) The method of claim 21, further comprising:

utilizing the state related information to provide control of a related characteristic of the networked system (Naik; 0010, 0035, and 0056).

24. (Previously Presented) The method of claim 23, the related characteristic of the networked system comprising at least one of state reporting management, process thread management, Internet use management, data storage management, memory use management, processing power use management, or load management.

25. (Previously Presented) The method of claim 23, the control comprising at least one of automatic control or manual control (Naik; 0010, 0035, and 0056; see also Beck; 0136).

26. (Original) The method of claim 21, the user comprising a computing device (see Naik; fig. 1 and 2).

27.(Original) The method of claim 21, further comprising:

utilizing state related error data and the aggregated system state data to provide system update information to the user (Naik; 0010, 0035, and 0056).

28. (Original) The method of claim 27, further comprising:
providing control to the user to initiate system updates provided in the system update information.

29. (Original) The method of claim 28, providing control including, at least in part, selecting, via user input, to automatically update at least one parameter of the networked system (Beck; 0136).

30. (Original) The method of claim 21, further comprising:
utilizing state related error data and the aggregated system state data to reduce state monitoring information (Naik; 0010, 0035, and 0056).

31. (Original) The method of claim 30, the state related error data comprising at least one selected from the group consisting of software defects and hardware defects (Beck; par. 0136).

32. (Original) The method of claim 21, further comprising:
receiving control parameters from a user to control state related parameters (Naik; 0010, 0035, and 0056).

33. (Previously Presented) The method of claim 21, further comprising:

Art Unit: 2143

data mining the aggregated system state data to determine at least one of a diagnosis of at least one aspect of the networked system or a prognosis of at least one aspect of the networked system (Naik; 0010, 0035, and 0056).

34. (Original) The method of claim 21, further comprising:

controlling, via a user interface, the networked system based, at least in part, upon the aggregated system state data (Naik; 0010, 0035, and 0056).

35. (Original) The method of claim 21, further comprising:

providing system state related recommendations based, at least in part, upon the aggregated system state data (Naik; 0010, 0035, and 0056).

36. (Previously Presented) A system that facilitates networked system management, comprising:

means for obtaining aggregated system state data for at least one system component;
means for processing at least a portion of the aggregated system state data to determine at least one characteristic of at least one system state (Naik; 0010, 0035, and 0056), the at least one characteristic employed to automatically limit a user's utilization of at least one aspect of the networked system; means for providing state related information based upon the state characteristic to a user; means for predicting a common mode failure of at least one piece of hardware common to one of more systems (see Beck par. 0136); and means for enabling a user to manipulate assets of the networked system to facilitate improved utilization of the

Art Unit: 2143

networked system (Naik; 0010, 0035, and 0056). The same motivation and reason to combine used for the rejection of claim 1 are also valid for this claim.

37. (Currently Amended) A data packet transmitted between two or more computer components that facilitates networked system monitoring, the data packet comprising, at least in part, information relating to monitoring of a networked system, the information including, at least in part, state related data based, at least in part, upon aggregated state data corresponding to at least one system component of the networked system (Naik; 0010, 0035, and 0056),, the aggregated state data employed to automatically limit a user's utilization of at least one aspect of the networked system (see Beck par. 0136). The same motivation and reason to combine used for the rejection of claim 1 are also valid for this claim.

38. (Previously Presented) A system employing at least one system of claim 1 that provides a unified information source of at least one of performance monitoring data for a plurality of networked systems, usage monitoring data for a plurality of networked systems, or health monitoring data for a plurality of networked systems (Naik; 0010, 0035, and 0056).

39. (Original) A computer readable medium having stored thereon computer executable components of the system of claim 1 (see Naik; fig. 1 and 2).

40. (Previously Presented) A device employing the method of claim 21 comprising at least one of a computer, a server, or a handheld electronic device (see Naik; fig. 1 and 2).

Art Unit: 2143

41. (Previously Presented) A device employing the system of claim 1 comprising at least one of a computer, a server, or a handheld electronic device (see Naik; fig. 1 and 2).

Conclusion

4. ***This action is made Non-Final.*** Any inquiry concerning this communication or earlier communications from examiner should be directed to Jude Jean-Gilles whose telephone number is (571) 272-3914. The examiner can normally be reached on Monday-Thursday and every other Friday from 8:00 AM to 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nathan Flynn, can be reached on (571) 272-1915. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-3301.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (571) 272-0800.

/Jude J Jean-Gilles/

Primary Examiner, Art Unit 2143

JJG

July 19, 2008

Notice of References Cited	Application/Control No. 10/721,727		Applicant(s)/Patent Under Reexamination RADEN ET AL.	
	Examiner JUDE J. JEAN GILLES		Art Unit 2143	Page 1 of 1

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
*	A	US-2006/0294238	12-2006	Naik et al.	709/226
*	B	US-2005/0114494	05-2005	Beck et al.	709/224
*	C	US-2005/0091640	04-2005	McCollum et al.	717/117
	D	US-			
	E	US-			
	F	US-			
	G	US-			
	H	US-			
	I	US-			
	J	US-			
	K	US-			
	L	US-			
	M	US-			

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	O					
	P					
	Q					
	R					
	S					
	T					

NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)			
	U				
	V				
	W				
	X				

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).)
Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15	("7103874".pn. "6654816".pn. "20050015624" "20030046396" "20050086502" "20040111638")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 22:47
L2	19	("7103874".pn. "6654816".pn. "20050015624" "20030046396" "20050086502" "20040111638" "6,101,500".pn. "7,289,862".pn.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 22:54
L3	2	"6,101,500".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 22:54
L4	0	("2005/0086502").URPN.	USPAT	OR	ON	2008/07/20 22:55
L5	14	("20040049297" "20050119785" "20050222817" "4894908" "5406044" "5676867" "5808885" "6441342" "6445969" "6917845" "6931298" "6954678" "6957186" "6993404").PN. OR ("7289862").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/20 22:56
L6	18	("20020065896" "20020066034" "20020111198" "20020156837" "20030097557" "20030217292" "20040003286" "20040030778" "20040250122" "5619656" "6181981" "6212581" "6219719" "6550012" "6574666" "6714977" "6717382" "6914893").PN. OR ("7246156").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/20 22:56

L7	76	("20010051865" "20020129140" "20030002436" "20030041153" "20030105866" "20030105867" "20030105993" "20030123421" "20030149783" "20030182433" "20030191966" "20030217145" "20030217180" "20030224788" "20030236827" "20040008682" "20040034871" "20040073810" "20040088583" "20040093513" "20040098623" "20040250133" "5787161" "5933645" "6038322" "6049834" "6119231" "6131163" "6134559" "6215878" "6282546" "6298383" "6298444" "6301613" "6301668" "6324656" "6327618" "6347339" "6381646" "6396833" "6415321" "6418468" "6427174" "6434700" "6463061" "6463474" "6466977" "6477651" "6483921" "6484261" "6484315" "6487666" "6490289" "6490290" "6499107" "6530024" "6539431" "6553489" "6560204" "6563816" "6567917" "6578147" "6584124" "6597957" "6609154" "6609205" "6651096" "6658002" "6671811" "6680998" "6684331" "6941467" "6965574" "7124440"). PN. OR ("7237267"). URFN.	US-PGRUB; USPAT; USOCR	OR	ON	2008/07/20 22:57
----	----	---	---------------------------	----	----	---------------------

L8	27	("20020019870" "20020049715" "20020059425" "20020133535" "20020147726" "20020174125" "20030135628" "20030177109" "20040031038" "20040111638" "20040181541" "20050097146" "20050172306" "5732234" "5920873" "6012152" "6067548" "6085030" "6138168" "6219666" "6477572" "6553387" "6598060" "6684231").PN. OR ("7103874").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/20 22:57
L9	15	("5099348" "5850187" "5875293" "6049792" "6252511" "6468223" "6522242").PN. OR ("6654816").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/20 22:57
L10	55	("5414812" "5471399" "5504921" "5819028" "5845254" "5878431" "5919248" "5926463" "6006016").PN. OR ("6101500").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/20 22:57
L11	223	1 12 13 14 15 16 17 18 19 110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 23:22
L12	6110	(network\$3 client server resource component device node)near20 health near20 monitor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 23:24
L13	4296	((network\$3 client server resource component device node)near20 health near20 monitor\$3) and (aggregat\$4 nar20 state)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 23:25
L14	4296	((network\$3 client server resource component device node)near20 health near20 monitor\$3) and (aggregat\$4 nar10 state)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 23:25

L15	504	((network\$3 client server resource component device node)near20 health near20 monitor\$3) and ((aggregat\$4 nar10 state) near30 utiliz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 23:26
L16	15	((network\$3 client server resource component device node)near20 health near20 monitor\$3) and ((aggregat\$4 nar10 state) near30 (limit\$4 restrict\$3) near10 utiliz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 23:26
L17	0	((network\$3 client server resource component device node)near20 health near20 monitor\$3) and ((aggregat\$4 nar10 state) near30 (limit\$4 restrict\$3) near10 utiliz\$5) near20 automatic\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 23:27
L18	0	((network\$3 client server resource component device node)near20 health near20 monitor\$3) and ((aggregat\$4 nar10 state) near30 (limit\$4 restrict\$3) near10 utiliz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 23:30
L19	15	((network\$3 client server resource component device node)near20 health near20 monitor\$3) and ((aggregat\$4 state) near30 (limit\$4 restrict\$3) near10 utiliz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 23:30
L20	19	((network\$3 client server resource component device node)near20 health near20 monitor\$3) and ((aggregat\$4 state condition) near30 (limit\$4 restrict\$3) near10 utiliz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 23:30
L21	2	((network\$3 client server resource component device node)near20 health near20 monitor\$3) and ((aggregat\$4 state condition) near30 (limit\$4 restrict\$3) near10 utiliz\$5) same (immediat\$5 automatic\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 23:31

L22	105	((network\$3 client server resource component device node)near20 health near20 monitor\$3) and (aggregat\$4 near20 state)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 23:41
L23	4	I22 and I11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 23:41
L24	28379	(limit\$3 restrict\$3) near20 (user near10 (access\$3 utiliz\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 23:50
L25	1318	(limit\$3 restrict\$3) near20 (user near10 (access\$3 utiliz\$5))same (state aggregat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 23:51
L26	3	(limit\$3 restrict\$3) near20 (user near10 (access\$3 utiliz\$5))same (state aggregat\$4) and I22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 23:51
L27	2	"20060294238" and (user manager person individual)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 23:56
L28	115856	"20060294238" and (user manager person individual) ner20 (access\$ utiliz\$5) near20 resource	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 23:57
L29	1	"20060294238" and (user manager person individual) near20((access\$ utiliz\$5) near20 resource)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 23:57
L30	1	"20060294238" and aggregat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 23:59

L31	6781033	((limit\$3 restrict\$3 forbid \$4)near20 user near20 (access\$3 utiliz\$5) nea20 (resource network\$3 component))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:33
L32	2178	((limit\$3 restrict\$3 forbid \$4)near20 user near20 (access\$3 utiliz\$5) nea20 (resource network\$3 component))same (aggregat\$3 near10 state)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:34
L33	0	((limit\$3 restrict\$3 forbid \$4)near20 user near20 (access\$3 utiliz\$5) near20 (resource network\$3 component))same (aggregat\$3 near10 state)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:34
L34	268	((limit\$3 restrict\$3 forbid \$4)near20 user near20 (access\$3 utiliz\$5) near20 (resource network\$3 component))same (aggregat\$3 state)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:34
L35	472	((limit\$3 restrict\$3 forbid \$4)near20 user near20 (access\$3 utiliz\$5) near20 (resource network\$3 component))same (aggregat\$3 state condition)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:34
L36	709	((limit\$3 restrict\$3 forbid \$4)near20 user near20 (access\$3 utiliz\$5) near20 (resource network\$3 component device))same (aggregat\$3 state condition)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:35
L37	2	((limit\$3 restrict\$3 forbid \$4)near20 user near20 (access\$3 utiliz\$5) near20 (resource network\$3 component device))same (aggregat\$3 near20 (state condition))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:35
L38	0	(automatic\$4 near20 (limit \$3 restrict\$3 forbid\$4)) near20 (access\$3 utiliz\$5) near20 (resource network \$3 component device) same (aggregat\$3 near20 (state condition))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:37

L39	807	{automatic\$4 near20 (limit \$3 restrict\$3 forbid\$4)) near20 (access\$3 utiliz\$5) near20 (resource network \$3 component device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:38
L40	25	{automatic\$4 near20 (limit \$3 restrict\$3 forbid\$4)) near20 (access\$3 utiliz\$5) near20 (resource network \$3 component device) and ((network resource component) near20 health)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:39
L41	10	{automatic\$4 near20 (limit \$3 restrict\$3 forbid\$4)) near20 (access\$3 utiliz\$5) near20 (resource network \$3 component device) and ((network resource component) near20 health) and aggregate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:39
L42	10	{automatic\$4 near20 (limit \$3 restrict\$3 forbid\$4)) near20 (access\$3 utiliz\$5) near20 (resource network \$3 component device) and ((network resource component) near20 health) and aggregate\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:39
L43	0	{automatic\$4 near20 (limit \$3 restrict\$3 forbid\$4)) near20 (access\$3 utiliz\$5) near20 (resource network \$3 component device) and ((network resource component) near20 health) and (aggregate\$3 near10 (state condition))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:39
L44	807	{automatic\$4 near20 (limit \$3 restrict\$3 forbid\$4)) near20 (access\$3 utiliz\$5) near20 (resource network \$3 component device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:51
L45	5	{automatic\$4 near20 (limit \$3 restrict\$3 forbid\$4)) near20 (access\$3 utiliz\$5) near20 (resource network \$3 component device) same aggregat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:52

L46	4	(automatic\$4 near20 (limit \$3 restrict\$3 forbid\$4)) near20 (access\$3 utiliz\$5) near20 aggregat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:54
L47	66	(automatic\$4 near20 (limit \$3 restrict\$3 forbid\$4)) near20 (access\$3 utiliz\$5) near20 (aggregat\$3 state condition)near30 (network resource element component device node memory CPU)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:56
L48	3	(automatic\$4 near20 (limit \$3 restrict\$3 forbid\$4)) near20 (access\$3 utiliz\$5) near20 (aggregat\$3 state condition)near30 (network resource element component device node memory CPU) same aggregat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:57
L49	3	(automatic\$4 near30 (limit \$3 restrict\$3 forbid\$4)) near30 (access\$3 utiliz\$5) near30 (aggregat\$3 state condition)near30 (network resource element component device node memory CPU) same aggregat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:58
L50	22	(automatic\$4 near30 (limit \$3 restrict\$3 forbid\$4)) near30 (access\$3 utiliz\$5) near30 (aggregat\$3 state condition)near30 (network resource element component device node memory CPU) and aggregat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:59
L51	0	(automatic\$4 near30 (limit \$3 restrict\$3 forbid\$4)) near30 (access\$3 utiliz\$5) near30 (aggregat\$3 state condition)near30 (network resource element component device node memory CPU) and aggregat\$3 near20 state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:59

L52	18	(automatic\$4 near30 (limit \$3 restrict\$3 forbid\$4)) near30 (access\$3 utiliz\$5) near30 (aggregat\$3 state condition)near30 (network resource element component device node memory CPU) and aggregat\$3 and (health ner20 performance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 01:00
L53	1	(automatic\$4 near30 (limit \$3 restrict\$3 forbid\$4)) near30 (access\$3 utiliz\$5) near30 (aggregat\$3 state condition)near30 (network resource element component device node memory CPU) and aggregat\$3 same (health ner20 performance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 01:00
L54	0	"20060294238" and performance near20 state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 01:44
L55	0	"20060294238" and performance same state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 01:45
L56	1	"20060294238" and performance same state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 01:45
L57	0	"20060294238" and performance same state same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 01:48
L58	1	"20060294238" and performance sameuser	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 01:48

L59	0	"20060294238" and performance same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 01:48
L60	0	"20060294238" and status near20 user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 01:48
L61	0	"20060294238" and status same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 01:48
L62	1	"20060294238" and user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 01:48
L63	1	"20060294238" and user same state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 01:49
L64	1	"20060294238" and user same interfac\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 02:03

7/21/08 2:48:19 AM

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Not for submission under 37 CFR 1.99)	Application Number		10721727	
	Filing Date		2003-11-25	
	First Named Inventor	Gary P. Raden		
	Art Unit	2143		
	Examiner Name	Jude Jean Gilles		
Attorney Docket Number		MS306094.01/MSFTP503USB		

U.S.PATENTS						Remove
Examiner Initial*	Cite No	Patent Number	Kind Code ¹	Issue Date	Name of Patentee or Applicant of cited Document	Pages, Columns, Lines where Relevant Passages or Relevant Figures Appear
	1	7103874		2006-09-05	McCollum, et al.	
	2	6654816		2003-11-25	Zaudtke, et al.	

If you wish to add additional U.S. Patent citation information please click the Add button.

Add

U.S.PATENT APPLICATION PUBLICATIONS						Remove
Examiner Initial*	Cite No	Publication Number	Kind Code ¹	Publication Date	Name of Patentee or Applicant of cited Document	Pages, Columns, Lines where Relevant Passages or Relevant Figures Appear
	1	20050015624		2005-01-20	Andrew Ginter, et al.	
	2	20030046396		2003-03-06	Roger K. Richter, et al.	
	3	20050086502		2005-04-21	Ammar Rayes, et al.	
	4	20040111638		2004-06-10	Satyendra Yadav, et al.	

If you wish to add additional U.S. Published Application citation information please click the Add button.

Add

FOREIGN PATENT DOCUMENTS	Remove
--------------------------	--------

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**
(Not for submission under 37 CFR 1.99)

Application Number	10721727
Filing Date	2003-11-25
First Named Inventor	Gary P. Raden
Art Unit	2143
Examiner Name	Jude Jean Gilles
Attorney Docket Number	MS306094.01/MSFTP503USB

Examiner Initial*	Cite No	Foreign Document Number ³	Country Code ² i	Kind Code ⁴	Publication Date	Name of Patentee or Applicant of cited Document	Pages, Columns, Lines where Relevant Passages or Relevant Figures Appear	T ⁵
	1							<input type="checkbox"/>

If you wish to add additional Foreign Patent Document citation information please click the Add button

NON-PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc), date, pages(s), volume-issue number(s), publisher, city and/or country where published.	T ⁵
	1		<input type="checkbox"/>


If you wish to add additional non-patent literature document citation information please click the Add button

EXAMINER SIGNATURE

Examiner Signature	/Jude Jean Gilles/ (07/20/2008)	Date Considered	07/20/2008
--------------------	---------------------------------	-----------------	------------


*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through a citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ See Kind Codes of USPTO Patent Documents at www.USPTO.GOV or MPEP 901.04. ² Enter office that issued the document, by the two-letter code (WIPO Standard ST.3). ³ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁴ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁵ Applicant is to place a check mark here if English language translation is attached.

Index of Claims 	Application/Control No. 10721727	Applicant(s)/Patent Under Reexamination RADEN ET AL.
	Examiner Jean-Gilles, Jude J	Art Unit 2143


✓	Rejected	-	Cancelled	N	Non-Elected	A	Appeal
=	Allowed	÷	Restricted	I	Interference	O	Objected

<input type="checkbox"/> Claims renumbered in the same order as presented by applicant			<input type="checkbox"/> CPA			<input type="checkbox"/> T.D.			<input type="checkbox"/> R.1.47			
CLAIM			DATE									
Final	Original	07/20/2008										
	1	✓										
	2	✓										
	3	✓										
	4	✓										
	5	✓										
	6	✓										
	7	✓										
	8	✓										
	9	✓										
	10	✓										
	11	✓										
	12	✓										
	13	✓										
	14	✓										
	15	✓										
	16	✓										
	17	✓										
	18	✓										
	19	✓										
	20	✓										
	21	✓										
	22	✓										
	23	✓										
	24	✓										
	25	✓										
	26	✓										
	27	✓										
	28	✓										
	29	✓										
	30	✓										
	31	✓										
	32	✓										
	33	✓										
	34	✓										
	35	✓										
	36	✓										

<i>Index of Claims</i> 	Application/Control No. 10721727	Applicant(s)/Patent Under Reexamination RADEN ET AL.
	Examiner Jean-Gilles, Jude J	Art Unit 2143

✓	Rejected	-	Cancelled	N	Non-Elected	A	Appeal
=	Allowed	÷	Restricted	I	Interference	O	Objected

<input type="checkbox"/> Claims renumbered in the same order as presented by applicant				<input type="checkbox"/> CPA				<input type="checkbox"/> T.D.				<input type="checkbox"/> R.1.47			
CLAIM			DATE												
Final	Original	07/20/2008													
	37	✓													
	38	✓													
	39	✓													
	40	✓													
	41	✓													

Search Notes 	Application/Control No. 10721727	Applicant(s)/Patent Under Reexamination RADEN ET AL.
	Examiner Jean-Gilles, Jude J	Art Unit 2143

SEARCHED			
Class	Subclass	Date	Examiner
709	224	7/20/08	JG

SEARCH NOTES		
Search Notes	Date	Examiner
EAST text search; PALM, and NPLs	7/20/08	JG

INTERFERENCE SEARCH			
Class	Subclass	Date	Examiner
			JG